



TOT EMC

EXPORT MANAGEMENT COMPANY
EXPERT IN INTERNATIONAL TRADING



TOT Export Management Company

provides comprehensive consulting services with all issues associated with international trading. We can make the relationship between global markets and Iranian Products.

TOT EMC is in direct contact with the most significant Iranian suppliers. We have a deep knowledge of the market thanks to our long presence. Identifying reliable suppliers and making business partnerships are our advantages.

We facilitate international trade by introducing Iranians qualified suppliers who assure to deliver furnished superior quality products at a competitive price.

TOT EMC can offer trade consulting services with the highest standards.

Some selected services clarified in this catalog. Also, please explore our services page at tot-emc.com, which presents the wide range of our services.





Knowledge is the foundation of our profession

Satisfaction is the main focus of our activity

Trust creation is our manner



**By choosing us,
you get**

Professional services

Our main goal is to provide the best possible products from the best suppliers. We believe that creating an extensive, dynamic and secure supply network will increase our customer satisfaction.

Customer focus

Our focus is on providing efficient solutions to our customers' export challenges.

Profitability and growth

The goal is to improve customer profitability.

Innovation and entrepreneurship

We are constantly expanding our way of thinking through innovation and entrepreneurship. By looking to the market's future, we can develop the company's services.

Expertise and experience

We always attach great importance to the knowledge of the export process.

**TOT EMC
is
a world of
opportunities**

OUR SERVICES

- Supply customers with high-quality products at competitive price
 - Find the qualified trading partner
 - Risk advisory
 - Delivery in standard export packaging
 - Specialized shipping
 - Advice on Trade Agreements and Tariffs
 - Consulting Trade Compliance and Regulatory Updates
 - Commodity tariffs & HS codes interpretation
- 

STEEL PRODUCTS



STEEL BILLET & INGOT



Billet Type	St3sp, St5sp
Standards	A314 – 19, A484 / A484M – 19, A604 / A604M - 07(2017), etc.
Packing	Standard export packing or as customers required
Cross-Section (mm)	100*100, 120*120, 130*130, 140*140, 150*150
Length(m)	6~12

TOT EMC can provide :

- Ingot with a rectangular cross-section weighs between 25 to 30 tons.
- Billet with a round or square cross-section up to 155mm x 155mm.
- Bloom with a square or rectangular cross-section above 155 mm x 155 mm.
- Slab with a rectangular cross-section up to 3000 mm wide and 320 mm thickness.



STEEL REBAR



Type	Ribbed rebar, Bar, Hot-rolled spooled rebar
Application	Building/construction
Packing	Standard export packing or as customers required
Diameter	as required
Length	as required

- Special tread types
- Providing different and customized grades
- Comply with standard certificates
- Observance of the minimum standard tolerance of dimensions
- Certified and traceable



STEEL COIL



TYPE	Hot/ cold rolled
Application	Automobile, Buildings, Machinery, Engineering construction, etc.
Packing	Standard Export Seaworthy Package. Suit for all kinds of transport, or as required
Width	600mm - 1800mm or as required
Thickness	As required
Length	As required

- Providing different and customized grades
- Standard certificates: AISI, ASTM, DIN, JIS, GB, JIS, SUS, EN, etc.
- Surface treatment: Clean, blast, and paint according to customer requirements



STEEL PLATE



Types	Carbon Steel Plate , Alloy Steel Plate, Boiler Steel Plate, Wear Resistant Steel Plate, Corten Steel Plate and etc.
Application	Used in tool steel, cementation steel and bearing steel.
Packing	Standard export package, suit for all kinds of transport, or as required.

- Providing different and customized grades
- Ideal and economic weight
- Standard certificates: AISI, ASTM, BS, DIN, GB, JIS, etc.
- Surface treatment: Clean, blast, and paint according to customer requirement




STEEL PROFILE



Type	C Channel, Flat Bar, Round Bar, Angle Bar, Square Bar, U Beam, H Beam, Hollow, Section, Z profile
Specification	Customized on request
Appearance	Generally smooth, bright
Packing	Export standard packing or as required

- Ideal and economic weight
- Mechanized packaging and product preservation to the place of consumption
- No restrictions on the grid



SEAMED STEEL PIPE



Wall thickness	1-60mm or costumed
Out diameter	10-1420mm or costumed
Standard	BS1387,GB3091,ASTMA53, B36.10, BS EN1029, API 5L, GB/T9711, etc.
Technique	Cold Rolled/ Hot Rolled/ Cold Drawn
Shape	Round/Square/Rectangle

Surface Treatment	Galvanized
	PVC, black and color painting
	Transparent oil, anti-rust oil
	According to clients requirement
Application	Construction, Machine structure pipe, Agriculture equipment pipe, Water and gas pipe, Greenhouse pipe, Scaffolding pipe, Building material tube, Furniture tube, Low pressure fluid tube, etc.



SEAMLESS STEEL PIPE



Diameter	20mm-500mm or as required
Thickness	0.3-100mm or as required
Length	5800mm-12000mm or as required
Standard	AISI,ASTM,DIN,JIS,GB, SUS, EN, etc.
Technique	Hot rolled/Cold rolled
Thickness Tolerance	$\pm 0.05\text{mm}$

Surface Treatment	Galvanized
	PVC, Black and color painting
	Transparent oil, anti-rust oil
	According to clients requirement
Application	Fence, greenhouse, Low pressure liquid, water, gas, oil, line pipe, For both indoor and outdoor the building construction, Widely used in scaffolding construction




WIRE ROD



Type	Plain & indented (A2, A3)
Specification	Customized on request
Appearance	Generally smooth, bright
Packing	Export standard packing or according to customers' requirement
Application	wire drawing units, fasteners, automobile components, and hardware manufacturers

- Suitable packaging for ease of use
- Ability to produce different and customized grades
- Excellent traction without the need for annealing
- Accurate dimensional tolerance in all sizes
- Simple and ribbed





TOT Export Management Company

tot-emc.com

+989134507937

+989133522904

info@tot-emc.com

